

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

6/40




FIG. 6A




FIG. 6B




FIG. 7




FIG. 8



9/40




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

14/40





FIG. 14

15/40




FIG. 15

16/40




FIG. 16



17/40




FIG. 17

18/40




FIG. 18

19/40




FIG. 19

20/40




FIG. 20A





FIG. 20B




FIG. 21

23/40




FIG. 22

24/40




FIG. 23



25/40




FIG. 24

26/40

Target thickness for substrate: 50 microns  
Total depth of microlens array: 20 microns




FIG. 25

27/40

Target thickness for substrate: 50 microns  
Total depth of microlens array: 30 microns




FIG. 26

28/40

Target thickness for substrate: 75 microns  
Total depth of microlens array: 20 microns




FIG. 27

29/40

Target thickness for substrate: 75 microns  
Total depth of microlens array: 30 microns




FIG. 28

30/40

Target thickness for substrate: 100 microns  
Total depth of microlens array: 20 microns




FIG. 29

31/40

Target thickness for substrate: 100 microns  
Total depth of microlens array: 30 microns




FIG. 30

32/40

Target thickness for substrate: 125 microns  
Total depth of microlens array: 20 microns




FIG. 31



33/40

Target thickness for substrate: 125microns  
Total depth of microlens array: 30 microns




FIG. 32

34/40

Prior Art





FIG. 33

35/40





FIG. 34

36/40





FIG. 35

37/40





FIG. 36

38/40





FIG. 37

39/40





FIG. 38

40/40





FIG. 39